


SeceuroGuard 1000
Grey Finish



SeceuroGuard 1000
Grey Finish



SeceuroGuard 1000 (when not in use)
Grey Finish

SeceuroGuard | 1000 Retractable Security Gates



The original retractable security gate.

Elegant good looks with a heart of steel – the SeceuroGuard retractable security gate system combines a classic appearance with a high level of protection, ideal for your home or workplace.

Designed to keep intruders out while letting maximum light in, they are perfect for vulnerable ground floor windows on doors, for domestic, retail or commercial premises.

When not in use these retractable gates are surprisingly unobtrusive. Fitted to the door or window surround, they can disappear neatly behind curtains and a pelmet can be used to conceal the top track.

SeceuroGuard retractable gates are exceptionally safe and easy to handle with a smooth, quiet operation. They hang from a top track with a guide track at the base which can be supplied as an optional extra to quickly fold away when not required.

- Exceptionally strong security barrier
- Galvanised for corrosion resistance and powder coated
- Fully retractable system
- Excellent through-vision when locked
- Multi-point locking from a single key
- Smooth running carrier system
- Custom built for any opening
- Quick and easy to use
- Can be fitted with a locking post at both ends to provide maximum flexibility of operation
- Where access is not required, a fixed sash option is available
- An unlimited width can be accommodated in sections

Ideal for:

- ✓ Retail premises
- ✓ Fitting in front or behind glass
- ✓ Offices
- ✓ Commercial premises
- ✓ Domestic properties
- ✓ Where a lower cost manual option is required

Product Matrix

 SeceuroShield Physical Security	Page	Investment & Security	Domestic	Retail	Commercial	Bar / Servery / Kiosk / Cabinet	Maximum & Minimum Widths	1
SeceuroShield 3801 Insurance Approved Security Shutters			•	•	•	•	Min: 900 mm Max: 3000 x 4000 mm	
SeceuroShield 38 Built-On & Built-On Security Shutters Solid Slats			•	•	•	•	Min: 500 mm Max: 4000 x 5000 mm	
SeceuroShield 75 Built-On Security Shutters Solid Slats				•	•	•	Min: 1000 mm Max: 6000 x 3400 mm	
SeceuroShield 60 Built-On & Built-On Security Shutters Solid Slats				•	•	•	Min: 900 mm Max: 6000 x 5000 mm	2
SeceuroShield 150 Built-On & Built-On Security Shutters Solid Slats			•			•	Min: 500 mm Max: 3400 x 4000 mm	
SeceuroShield 77 Built-On Security Shutters Solid Slats			•	•	•	•	Min: 900 mm Max: 5400 x 4000 mm	
SeceuroVision 900 See-Through Shutters 55-69% Vision				•	•	•	Min: 900 mm Max: 5000 x 4000 mm	
SeceuroVision 800 See-Through Shutters Punched & Glazed 62% Vision				•	•	•	Min: 900 mm Max: 6000 x 5000 mm	
SeceuroVision 75 See-Through Shutters Perforated 25% Vision				•	•	•	Min: 1000 mm Max: 6000 x 3400 mm	
SeceuroVision 38 See-Through Shutters Punched & Glazed 45% Vision			•	•	•	•	Min: 500 mm Max: 3000 x 5000 mm	2
SeceuroVision 38 See-Through Shutters Perforated 17% Vision			•	•	•	•	Min: 500 mm Max: 3000 x 5000 mm	
SeceuroGuard 1000 Retractable Security Gates			•	•	•	•	Min: 500 x 500 mm Max: 6000 x 3500 mm	
SeceuroGuard 1001 Insurance Approved Retractable Security Gates			•	•	•	•	Min: 500 x 1000 mm Max: 6000 x 3000 mm	
SeceuroBar Removable Window Bars			•	•	•	•	Min: 250 x 200 mm Max: 3000 x 2100 mm	
Xpanda Deterrant Security Products				•	•	•	Min: 900 x 850 mm Max: 1800 x 2500 mm Max: 1800 x 2500 mm	

1 Sizes quoted may not be available with some operation modes and may alter depending on product application, wind loading or whether installed as a secondary or sole closure. Limitations apply to maximum overall sizes.

2 Please note the maximum sizes quoted for SeceuroShield 75 and SeceuroVision 75 are applicable to the continental style shutter with aluminium head box and guide rails. These products are also available with traditional galvanised steel channels and head box. The maximum sizes for the traditional style are: maximum width 6400 mm, maximum height 4700 mm and maximum area 20 sqm.

Insulated	Secured By Design	LPCB Insurance Approved	Electric (E) or Manual (M)	Standard Finishes	Any RAL/BS Colour as an Extra
	✓	✓	E	3	✓
			E & M	3	✓
			E & M	1	✓
			E & M	3	✓
✓			E & M	4	
✓			E & M	12	
			E & M	1	✓
			E & M	3	✓
			E & M	1	✓
			E & M	3	✓
			E & M	4	✓
			M	27	✓
	✓	✓	M	27	✓
			M	1	✓
			M	1	

Secured by Design



Secured by Design is the official UK Police flagship initiative supporting the principles of 'designing out crime' by use of effective crime prevention and security standards for a wide range of products and applications.

Only products which have been tested and meet the required technical standard can be awarded the Police Preferred Specification.

For more information on this initiative refer to:

www.securedbydesign.com

Insurance approved security



The rigorous LPS 1175 burglary resistance standard is operated by the Loss Prevention Certification Board (LPCB). LPCB are the UK's leading independent certification body and the LPS 1175 standard is recognised and endorsed by 16 organisations including the Association of British Insurers and the Association of Chief Police Officers.

For more information on the scheme refer to:

www.brecertification.co.uk