


SeceuroShield 150 (Built-in)
Brown Finish



SeceuroShield 77
Brown Finish



SeceuroShield 150 (Built-in)
Brown Finish



SeceuroShield 77
Grey Finish

SeceuroShield | 150 Built-in & Built-on Security Shutters

Built-on or built-in
security shutter.



Lightweight

- CFC-Free foam filled rolled aluminium curtain profile
- Low to medium security applications
- Spans widths up to 3400 mm
- Effective heat and sound insulation
- Also used for shading and light control
- Lightweight therefore ideal for manual operation
- Vented slat option
- Flexible shading, light control and blackout
- Available with radio motors for home automation with wireless control
- Manual or electric operation

Choose me if:

- ✓ You are looking for a compact and attractive security solution
- ✓ You require shade and ventilation as well as security for your home or office
- ✓ You need your security to offer insulation and sound proofing
- ✓ The overall width is not greater than 3400 mm

SeceuroShield | 77 Built-on Security Shutters

Offering security and insulation.



- CFC-Free foam filled rolled aluminium profile
- Medium security for commercial, industrial and retail premises
- Spans widths up to 5400 mm with effective heat and sound insulation
- Can be mixed with SeceuroVision 800 when partial vision is required
- The curtain material is available in up to 12 stock colours

Choose me if:

- ✓ You're looking for medium security
- ✓ You need your security with the added benefit of heat and sound insulation
- ✓ The overall width is not greater than 5400 mm
- ✓ Ideal for retail and commercial premises

Green credentials

Our insulated shutters provide more than just security, offering, shading, sound proofing and insulation they are ideal for both residential and commercial applications.

Product Matrix

 SeceuroShield Physical Security		Investment & Security	Domestic	Retail	Commercial	Bar / Servery / Kiosk / Cabinet	Maximum & Minimum Widths	1
SeceuroShield 3801 Insurance Approved Security Shutters		 	•	•	•	•	Min: 900 mm Max: 3000 x 4000 mm	
SeceuroShield 38 Built-On & Built-On Security Shutters Solid Slats		 	•	•	•	•	Min: 500 mm Max: 4000 x 5000 mm	
SeceuroShield 75 Built-On Security Shutters Solid Slats		 		•	•	•	Min: 1000 mm Max: 6000 x 3400 mm	
SeceuroShield 60 Built-On & Built-On Security Shutters Solid Slats		 		•	•	•	Min: 900 mm Max: 6000 x 5000 mm	2
SeceuroShield 150 Built-On & Built-On Security Shutters Solid Slats		 	•			•	Min: 500 mm Max: 3400 x 4000 mm	
SeceuroShield 77 Built-On Security Shutters Solid Slats		 	•	•	•	•	Min: 900 mm Max: 5400 x 4000 mm	
SeceuroVision 900 See-Through Shutters 55-69% Vision		 		•	•	•	Min: 900 mm Max: 5000 x 4000 mm	
SeceuroVision 800 See-Through Shutters Punched & Glazed 62% Vision		 		•	•	•	Min: 900 mm Max: 6000 x 5000 mm	
SeceuroVision 75 See-Through Shutters Perforated 25% Vision		 		•	•	•	Min: 1000 mm Max: 6000 x 3400 mm	
SeceuroVision 38 See-Through Shutters Punched & Glazed 45% Vision		 	•	•	•	•	Min: 500 mm Max: 3000 x 5000 mm	2
SeceuroVision 38 See-Through Shutters Perforated 17% Vision		 	•	•	•	•	Min: 500 mm Max: 3000 x 5000 mm	
SeceuroGuard 1000 Retractable Security Gates		 	•	•	•	•	Min: 500 x 500 mm Max: 6000 x 3500 mm	
SeceuroGuard 1001 Insurance Approved Retractable Security Gates		 	•	•	•	•	Min: 500 x 1000 mm Max: 6000 x 3000 mm	
SeceuroBar Removable Window Bars		 	•	•	•	•	Min: 250 x 200 mm Max: 3000 x 2100 mm	
Xpanda Deterrant Security Products		 		•	•	•	Min: 900 x 850 mm Max: 1800 x 2500 mm Max: 1800 x 2500 mm	

¹ Sizes quoted may not be available with some operation modes and may alter depending on product application, wind loading or whether installed as a secondary or sole closure. Limitations apply to maximum overall sizes.

² Please note the maximum sizes quoted for SeceuroShield 75 and SeceuroVision 75 are applicable to the continental style shutter with aluminium head box and guide rails. These products are also available with traditional galvanised steel channels and head box. The maximum sizes for the traditional style are: maximum width 6400 mm, maximum height 4700 mm and maximum area 20 sqm.

Insulated	Secured By Design	LPCB Insurance Approved	Electric (E) or Manual (M)	Standard Finishes	Any RAL/BS Colour as an Extra
	✓	✓	E	3	✓
			E & M	3	✓
			E & M	1	✓
			E & M	3	✓
✓			E & M	4	
✓			E & M	12	
			E & M	1	✓
			E & M	3	✓
			E & M	1	✓
			E & M	3	✓
			E & M	4	✓
			M	27	✓
	✓	✓	M	27	✓
			M	1	✓
			M	1	

Secured by Design



Secured by Design is the official UK Police flagship initiative supporting the principles of 'designing out crime' by use of effective crime prevention and security standards for a wide range of products and applications.

Only products which have been tested and meet the required technical standard can be awarded the Police Preferred Specification.

For more information on this initiative refer to:

www.securedbydesign.com

Insurance approved security



The rigorous LPS 1175 burglary resistance standard is operated by the Loss Prevention Certification Board (LPCB). LPCB are the UK's leading independent certification body and the LPS 1175 standard is recognised and endorsed by 16 organisations including the Association of British Insurers and the Association of Chief Police Officers.

For more information on the scheme refer to:

www.brecertification.co.uk