




SeceuroVision 900
Blue Finish



SeceuroVision 800
Light Blue Finish



SeceuroVision 900
White Finish



SeceuroVision 800
Silver Finish

SeceuroVision | 900 See-through Shutters

The new generation of roller grille – very tight coiling and alternative link patterns and spacing, gives outstanding light transmission.



- Internal use
- Extruded aluminium roller grille
- Delivers up to 69% vision
- Very compact coil diameter
- Medium security for retail / office / commercial applications
- Spans up to 5000 mm (subject to appropriate application)
- Can be powder coated special colours if required
- 150 mm or optional 75 mm vertical link spacing
- Solid slats can be added to further enhance security

Choose me if:

- ✓ You require a shutter that offers maximum vision whilst in use
- ✓ You require shutters for internal use only
- ✓ You want an attractive alternative to traditional shutters
- ✓ The overall width is not greater than 5000 mm

SeceuroVision | 800 See-through Shutters

Retail security delivered with style. Spring assisted manual operation or effortless electric operation completes an ideal retail solution.



- Strong extruded aluminium profile
- Delivers up to 62% vision
- Offering security with an excellent level of vision
- Medium security retail / office / commercial applications
- Spans widths up to 6000 mm
- Can be powder coated special colours if required
- Can be mixed with solid profiles where higher security or only partial vision is required

Choose me if:

- ✓ You require a shutter that offers maximum vision and protection from wind and rain
- ✓ You want a shutter that can be mixed with solid slats to offer just partial vision
- ✓ The overall width is not greater than 6000 mm

Product Matrix

 SeceuroShield Physical Security	Page	Investment & Security	Domestic	Retail	Commercial	Bar / Servery / Kiosk / Cabinet	Maximum & Minimum Widths	1
SeceuroShield 3801 Insurance Approved Security Shutters	11		•	•	•	•	Min: 900 mm Max: 3000 x 4000 mm	
SeceuroShield 38 Built-On & Built-On Security Shutters Solid Slats	11		•	•	•	•	Min: 500 mm Max: 4000 x 5000 mm	
SeceuroShield 75 Built-On Security Shutters Solid Slats	12			•	•	•	Min: 1000 mm Max: 6000 x 3400 mm	
SeceuroShield 60 Built-On & Built-On Security Shutters Solid Slats	12			•	•	•	Min: 900 mm Max: 6000 x 5000 mm	2
SeceuroShield 150 Built-On & Built-On Security Shutters Solid Slats	13		•			•	Min: 500 mm Max: 3400 x 4000 mm	
SeceuroShield 77 Built-On Security Shutters Solid Slats	13		•	•	•	•	Min: 900 mm Max: 5400 x 4000 mm	
SeceuroVision 900 See-Through Shutters 55-69% Vision	14			•	•	•	Min: 900 mm Max: 5000 x 4000 mm	
SeceuroVision 800 See-Through Shutters Punched & Glazed 62% Vision	14			•	•	•	Min: 900 mm Max: 6000 x 5000 mm	
SeceuroVision 75 See-Through Shutters Perforated 25% Vision	15			•	•	•	Min: 1000 mm Max: 6000 x 3400 mm	
SeceuroVision 38 See-Through Shutters Punched & Glazed 45% Vision	15		•	•	•	•	Min: 500 mm Max: 3000 x 5000 mm	2
SeceuroVision 38 See-Through Shutters Perforated 17% Vision	15		•	•	•	•	Min: 500 mm Max: 3000 x 5000 mm	
SeceuroGuard 1000 Retractable Security Gates	16		•	•	•	•	Min: 500 x 500 mm Max: 6000 x 3500 mm	
SeceuroGuard 1001 Insurance Approved Retractable Security Gates	17		•	•	•	•	Min: 500 x 1000 mm Max: 6000 x 3000 mm	
SeceuroBar Removable Window Bars	18		•	•	•	•	Min: 250 x 200 mm Max: 3000 x 2100 mm	
Xpanda Deterrant Security Products	18			•	•	•	Min: 900 x 850 mm Max: 1800 x 2500 mm Max: 1800 x 2500 mm	

¹ Sizes quoted may not be available with some operation modes and may alter depending on product application, wind loading or whether installed as a secondary or sole closure. Limitations apply to maximum overall sizes.

² Please note the maximum sizes quoted for SeceuroShield 75 and SeceuroVision 75 are applicable to the continental style shutter with aluminium head box and guide rails. These products are also available with traditional galvanised steel channels and head box. The maximum sizes for the traditional style are: maximum width 6400 mm, maximum height 4700 mm and maximum area 20 sqm.

Insulated	Secured By Design	LPCB Insurance Approved	Electric (E) or Manual (M)	Standard Finishes	Any RAL/BS Colour as an Extra
	✓	✓	E	3	✓
			E & M	3	✓
			E & M	1	✓
			E & M	3	✓
✓			E & M	4	
✓			E & M	12	
			E & M	1	✓
			E & M	3	✓
			E & M	1	✓
			E & M	3	✓
			E & M	4	✓
			M	27	✓
	✓	✓	M	27	✓
			M	1	✓
			M	1	

Secured by Design



Secured by Design is the official UK Police flagship initiative supporting the principles of 'designing out crime' by use of effective crime prevention and security standards for a wide range of products and applications.

Only products which have been tested and meet the required technical standard can be awarded the Police Preferred Specification.

For more information on this initiative refer to:

www.securedbydesign.com

Insurance approved security



The rigorous LPS 1175 burglary resistance standard is operated by the Loss Prevention Certification Board (LPCB). LPCB are the UK's leading independent certification body and the LPS 1175 standard is recognised and endorsed by 16 organisations including the Association of British Insurers and the Association of Chief Police Officers.

For more information on the scheme refer to:

www.brecertification.co.uk